

Day : Saturday
Date: 4/29/2006

Time: 15:04:19


PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = YU

First Name = JIAN-SHEN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>10071062</u>	6680771	150	02/07/2002	THIN FILM TRANSISTOR LIQUID CRYSTAL DISPLAY WITH WIDE VIEWING ANGLE	YU, JIAN-SHEN
<u>10071063</u>	6770910	150	02/07/2002	THIN-FILM TRANSISTOR ARRAY STRUCTURE	YU, JIAN-SHEN
<u>10250033</u>	Not Issued	161	05/30/2003	[THIN-FILM TRANSISTOR ARRAY SUBSTRATE]	YU, JIAN-SHEN
<u>10294164</u>	6956552	150	11/14/2002	METHOD AND APPARATUS FOR DRIVING A DISPLAY	YU, JIAN-SHEN
<u>10341740</u>	6756835	150	01/14/2003	LEVEL SHIFTING CIRCUIT	YU, JIAN-SHEN
<u>10406026</u>	6778626	150	04/02/2003	BI-DIRECTIONAL SHIFT- REGISTER CIRCUIT	YU, JIAN-SHEN
<u>10406063</u>	6885723	150	04/02/2003	SHIFT-REGISTER CIRCUIT	YU, JIAN-SHEN
<u>10410769</u>	6894755	150	04/10/2003	LIQUID CRYSTAL DISPLAY DEVICE INTEGRATING DRIVING CIRCUIT ON MATRIX SUBSTRATE	YU, JIAN-SHEN
<u>10410951</u>	6778627	150	04/10/2003	SHIFT-REGISTER CIRCUIT	YU, JIAN-SHEN
<u>10454893</u>	6788757	150	06/05/2003	BI-DIRECTIONAL SHIFT- REGISTER CIRCUIT	YU, JIAN-SHEN
<u>10600785</u>	6784711	150	06/19/2003	SEQUENTIAL PULSE TRAIN GENERATOR	YU, JIAN-SHEN
<u>10604173</u>	Not Issued	61	06/30/2003	[DISPLAY DRIVING CIRCUIT]	YU, JIAN-SHEN
<u>10604269</u>	Not Issued	161	07/08/2003	[REFLECTIVE LIQUID CRYSTAL DISPLAY]	YU, JIAN-SHEN
<u>10604629</u>	Not Issued	71	08/06/2003	[LIQUID CRYSTAL DISPLAY PANEL'S INTEGRATED	YU, JIAN-SHEN

				DRIVER DEVICE FRAME]	
<u>10605162</u>	<u>6924869</u>	150	09/12/2003	[DISPLAY PANEL WITH THE INTEGRATED DRIVER CIRCUIT]	YU, JIAN-SHEN
<u>10615464</u>	<u>6972594</u>	150	07/07/2003	LEVEL-SHIFTING CIRCUIT	YU, JIAN-SHEN
<u>10624479</u>	<u>6936848</u>	150	07/23/2003	DUAL GATE LAYOUT FOR THIN FILM TRANSISTOR	YU, JIAN-SHEN
<u>10689885</u>	<u>6937687</u>	150	10/21/2003	BI-DIRECTIONAL SHIFT REGISTER CONTROL CIRCUIT	YU, JIAN-SHEN
<u>10692741</u>	Not Issued	30	10/27/2003	Driving circuit for flat panel displays	YU, JIAN-SHEN
<u>10698454</u>	Not Issued	30	11/03/2003	Repairing structure of driving circuit	YU, JIAN-SHEN
<u>10707664</u>	Not Issued	95	12/31/2003	PIXEL STRUCTURE OF DUAL MODE LIQUID CVRYSTAL DISPLAY	YU, JIAN-SHEN
<u>10708178</u>	Not Issued	30	02/13/2004	[CLOCK SIGNAL AMPLIFYING METHOD AND DRIVING STAGE FOR LCD DRIVING CIRCUIT]	YU, JIAN-SHEN
<u>10733096</u>	<u>6813331</u>	150	12/11/2003	BI-DIRECTIONAL SHIFT-REGISTER CIRCUIT	YU, JIAN-SHEN
<u>10754805</u>	<u>6834095</u>	150	01/09/2004	SHIFT-REGISTER CIRCUIT	YU, JIAN-SHEN
<u>10760953</u>	Not Issued	30	01/20/2004	Active matrix display precharging circuit and method thereof	YU, JIAN-SHEN
<u>10783474</u>	Not Issued	30	02/20/2004	Liquid crystal display and sampling circuit therefor	YU, JIAN-SHEN
<u>10802956</u>	Not Issued	30	03/17/2004	Liquid crystal display and driving method thereof	YU, JIAN-SHEN
<u>10854813</u>	Not Issued	93	05/27/2004	VOLTAGE LEVEL SHIFTER AND SEQUENTIAL PULSE GENERATOR	YU, JIAN-SHEN
<u>10894289</u>	Not Issued	30	07/19/2004	Driving circuit and driving process of display system	YU, JIAN-SHEN
<u>11120473</u>	Not Issued	20	05/02/2005	Display units	YU, JIAN-SHEN
<u>11144939</u>	Not Issued	20	06/06/2005	Single clock driven shift register and driving method for same	YU, JIAN-SHEN
<u>11211606</u>	Not Issued	30	08/26/2005	Dual gate layout for thin film transistor	YU, JIAN-SHEN
<u>11228644</u>	Not	41	09/15/2005	System and method for display	YU, JIAN-SHEN

	Issued			test	
11231224	Not Issued	20	09/20/2005	Shift register units, display panels utilizing the same, and methods for improving current leakage thereof	YU, JIAN-SHEN
11246467	Not Issued	20	10/07/2005	Pixel structures and methods for fabricating the same	YU, JIAN-SHEN
11327245	Not Issued	30	01/05/2006	Dynamic shift register with built- in disable circuit	YU, JIAN-SHEN
11332922	Not Issued	20	01/17/2006	Driving circuit and method of flat panel display	YU, JIAN-SHEN

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name

YU

First Name

JIAN-SHEN

Search

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Saturday
Date: 4/29/2006

Time: 15:04:41


PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = SUN

First Name = WEIN-TOWN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>10064425</u>	6778158	150	07/12/2002	PRE-CHARGING DISPLAY APPARATUS	SUN, WEIN-TOWN
<u>10249751</u>	Not Issued	71	05/05/2003	DATA DRIVER AND RELATED METHOD USED IN A DISPLAY DEVICE FOR SAVING SPACE	SUN, WEIN-TOWN
<u>10249752</u>	6809670	150	05/05/2003	CURRENT-STEERING/REPRODUCING DIGITAL-TO-ANALOG CURRENT CONVERTER	SUN, WEIN-TOWN
<u>10325799</u>	6801053	150	12/19/2002	LEVEL-SHIFTING CIRCUIT	SUN, WEIN-TOWN
<u>10379131</u>	6839398	150	03/04/2003	SHIFT-REGISTER CIRCUIT	SUN, WEIN-TOWN
<u>10417875</u>	Not Issued	93	04/17/2003	ORGANIC LIGHT EMITTING DIODES DISPLAY	SUN, WEIN-TOWN
<u>10419825</u>	6768439	150	04/22/2003	D/A CONVERTER FOR CURRENT-DRIVEN TYPE SOURCE DRIVER CIRCUIT IN AM-OLED	SUN, WEIN-TOWN
<u>10434296</u>	Not Issued	61	05/08/2003	CMOS inverter layout	SUN, WEIN-TOWN
<u>10459096</u>	6998788	150	06/11/2003	ARCHITECTURE OF DATA DRIVER APPLIED AT DISPLAY ELEMENTS WITH CURRENT-DRIVEN PIXELS	SUN, WEIN-TOWN
<u>10460353</u>	6967649	150	06/13/2003	METHOD FOR REDUCING POWER CONSUMPTION OF AN LCD PANEL IN A STANDBY MODE	SUN, WEIN-TOWN
<u>10460354</u>	7012599	150	06/13/2003	METHOD FOR REDUCING POWER CONSUMPTION OF AN LCD PANEL IN A STANDBY MODE	SUN, WEIN-TOWN

<u>10463585</u>	<u>6999048</u>	150	06/18/2003	INTEGRATED DATA DRIVER STRUCTURE USED IN A CURRENT-DRIVING DISPLAY DEVICE	SUN, WEIN-TOWN
<u>10604629</u>	Not Issued	71	08/06/2003	[LIQUID CRYSTAL DISPLAY PANEL'S INTEGRATED DRIVER DEVICE FRAME]	SUN, WEIN-TOWN
<u>10604896</u>	<u>6819277</u>	150	08/25/2003	METHOD FOR REDUCING SPIKES IN A DIGITAL-TO-ANALOG CONVERTER	SUN, WEIN-TOWN
<u>10605010</u>	<u>6825495</u>	150	09/01/2003	[CMOS TRANSISTOR AND CMOS-BASED DEVICE]	SUN, WEIN-TOWN
<u>10606860</u>	Not Issued	71	06/27/2003	Power-saving circuits and methods for driving active matrix display elements	SUN, WEIN-TOWN
<u>10624479</u>	<u>6936848</u>	150	07/23/2003	DUAL GATE LAYOUT FOR THIN FILM TRANSISTOR	SUN, WEIN-TOWN
<u>10707012</u>	Not Issued	30	11/13/2003	[STRUCTURE AND METHOD FOR REDUCING SOURCE LINE RESISTANCE OF LIGHT EMITTING DIODE]	SUN, WEIN-TOWN
<u>10707243</u>	Not Issued	30	12/01/2003	DATA DRIVER USED IN A CURRENT-DRIVING DISPLAY DEVICE	SUN, WEIN-TOWN
<u>10750752</u>	<u>7012319</u>	150	01/02/2004	SYSTEM FOR INTEGRATING A CIRCUIT ON AN ISOLATION LAYER AND METHOD THEREOF	SUN, WEIN-TOWN
<u>10776177</u>	Not Issued	30	02/12/2004	OLED pixel	SUN, WEIN-TOWN
<u>10785100</u>	<u>6998790</u>	150	02/25/2004	DESIGN METHODOLOGY OF POWER SUPPLY LINES IN ELECTROLUMINESCENCE DISPLAY	SUN, WEIN-TOWN
<u>10792105</u>	<u>6933162</u>	150	03/03/2004	METHOD FOR FABRICATING A LIQUID CRYSTAL DISPLAY	SUN, WEIN-TOWN
<u>10820837</u>	Not Issued	30	04/07/2004	Circuit for driving flat panel display	SUN, WEIN-TOWN
<u>10865940</u>	Not Issued	30	06/14/2004	Redundant storage capacitor and method for repairing OLED pixels and driving circuits	SUN, WEIN-TOWN
<u>10906544</u>	Not Issued	30	02/24/2005	CURRENT-DRIVEN OLED PANEL AND RELATED PIXEL STRUCTURE	SUN, WEIN-TOWN
<u>11005648</u>	Not	20	12/07/2004	Storage capacitor in OLED pixels	SUN, WEIN-

	Issued			and driving circuits and method for forming the same	TOWN
<u>11026110</u>	Not Issued	20	12/30/2004	Data driver for organic light emitting diode display	SUN, WEIN-TOWN
<u>11052842</u>	Not Issued	30	02/09/2005	Flat panel display with built-in DC-DC converters	SUN, WEIN-TOWN
<u>11085747</u>	6970121	150	03/21/2005	DIGITAL TO ANALOG CONVERTER, LIQUID CRYSTAL DISPLAY DRIVING CIRCUIT, METHOD FOR DIGITAL TO ANALOG CONVERSION, AND LCD USING THE DIGITAL TO ANALOG CONVERTER	SUN, WEIN-TOWN
<u>11125992</u>	Not Issued	20	05/10/2005	Data driving circuit for organic light emitting diode display	SUN, WEIN-TOWN
<u>11131389</u>	Not Issued	30	05/18/2005	Display with system-on-panel design	SUN, WEIN-TOWN
<u>11135956</u>	Not Issued	30	05/24/2005	Method for manufacturing electroluminescence display and electroluminescence panel utilizing the same	SUN, WEIN-TOWN
<u>11154678</u>	Not Issued	25	06/17/2005	Organic light emitting diode display and luminance compensating method thereof	SUN, WEIN-TOWN
<u>11188842</u>	Not Issued	25	07/26/2005	Time division driven display and method for driving same	SUN, WEIN-TOWN
<u>11211606</u>	Not Issued	30	08/26/2005	Dual gate layout for thin film transistor	SUN, WEIN-TOWN
<u>11243835</u>	Not Issued	20	10/05/2005	Display panel and operating method therefor	SUN, WEIN-TOWN
<u>11332925</u>	Not Issued	20	01/17/2006	Electroluminescence display and pixel array thereof	SUN, WEIN-TOWN
<u>11352792</u>	Not Issued	20	02/13/2006	Pixel array and fabrication method thereof	SUN, WEIN-TOWN

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
<input type="text" value="SUN"/>	<input type="text" value="WEIN-TOWN"/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	42755	DRIVER WITH (SPACE OR DISTANCE OR INTERVAL OR WIDTH)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/29 15:06
L2	740	1 WITH PIXEL\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/29 15:06
L3	275	2 AND "345"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/29 15:06
S1	9612	driver same (width or spac\$5 or distanc\$5) same (pixel or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 09:04
S2	726	S1 same lcd	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 10:15
S3	485	S2 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 10:15
S4	210	S2 and (power near2 (source or line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 10:18
S5	41	S4 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 10:23
S6	66	driver near3 (width orspac\$5 or interval) with (pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 10:34

EAST Search History

S7	41550	(width or length or interval or distance) with driver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 10:37
S8	41550	S7 same (pixel or driv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 10:37
S9	442	S8 same lcd	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 10:37
S10	95	S9 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 10:38
S11	291	driver with (distance or interval or width) same display same pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 13:54
S12	11701	driver with width	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 13:54
S13	1053	S12 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 13:54
S14	154	S13 same pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 13:54
S15	6	S14 same interval	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 13:55
S16	9626	driver with pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 17:21

EAST Search History

S17	1023	S16 same (interval or distance or spac\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 17:21
S18	536	S17 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 17:21
S19	153	S18 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 17:34
S20	10365	driver\$1 with pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 17:34
S21	662	S20 with (distance or interval or space\$5 or width or wide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 17:34
S22	588	S21 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 17:35
S23	237	S22 and lcd	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 17:35
S24	6	driver\$1 near2 (width) with (interval or distance or spac\$5) same pixel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 18:16
S25	841	driver\$1 with (interval or distance or spac\$5) same pixel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 18:16
S26	400	S25 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 18:16

EAST Search History

S27	167	S26 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 18:16
S28	12089	driver\$1 near2 (width or distance or spac\$5 or interval or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 09:06
S29	1194	S28 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 09:06
S30	72	S29 same pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 09:12
S31	232	driver with width with pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 09:12
S32	92	S31 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 09:25
S33	651	reduc\$5 with driver with width	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 09:25
S34	69	S33 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 09:25